



Higher Standards in Fall Protection

www.relsafe.com • 888.362.2826



# The Reliance Ironman<sup>™</sup> Lite series: Ideal for use in heavy construction, maintenance, and in harsh environments.

#### Inspectable

- TattleTale® webbing has an interior ply of contrasting black "strength" yarns that increase webbing strength to 7000 lbs (31kN) and instantly reveal cuts or abrasion
- Built-in impact load indicators
- Bar-coded individual serial numbers for traceability

#### **Comfortable**

- Removable back support/tool belt, shoulder padding
- Reliance Quick-Adjust™ torso adjustment buckles
- Quick-Connect chest buckle
- "Floating" thigh stitching reduces binding
- Improved geometry places buckles on front of thigh
- Angled stitching for "tailored" sub-pelvic fit
- Extra large back pad eliminates dangerous 'D-ring droop'

#### **Durable**

- No elastic webbing
- Heat-set labels won't come off
- Extra heavy-duty corrosion and abrasion resistant leg grommets
- Extra thick woven (not sewn) seat webbing for added durability
- · Premium anodized aluminum alloy hardware for high strength and reduced weight



Ideal for use with the Reliance StopLite®

## **Ironman**<sup>™</sup> Lite Features



Aluminum Torso Adjustors



Aluminum Positioning D-Rings (802000)



Integrated Back Belt (812000)



Back Belt Position Adjustors




Anodized Aluminum Tongue Buckles



Stand-Up Aluminum Dorsal D-Ring



Aluminum Positioning D-Rings (812000)



Dual Lanyard Keepers



Slim Profile Quick Connect Chest Buckle



Silver Aluminum Grommets

"Ironman™ Lite is a new grade of harness designed for the power-user, combining premium features with the classic utility of Reliance Full Body Harnesses. The aluminum alloy hardware provides the strength of steel without the weight, ensuring greater comfort and increased compliance and productivity."

### 800000-A

- Vest style
- Polyester webbing
- Tongue buckle leg straps
- Single dorsal D-Ring for fall arrest
- Universal fit (Medium Large)





## 802000-A

- Vest style
- Polyester webbing
- Single dorsal D-Ring for fall arrest
- Hip D-Rings for Work Positioning
- Tongue buckle leg straps
  Universal fit (Medium Large)

## 812000-A

- Construction style
- Single dorsal D-Ring for fall arrest
- Polyester webbing
- Side D-Rings for Work Positioning
- Tongue buckle leg straps
  Universal fit (Medium Large)
- Intergrated adjustable/removable waist pad and belt

"Ironman<sup>™</sup> Lite is constructed using superior materials without embellishment, in an effort to give you what you need to get the job done: safely, on-time, and on budget!"

Designed for hard work...



# **Available Models**

Ironman <sup>™</sup> Lite Full Body Harnesses						
Part #	Style	D-Rings	Chest Buckle	Leg Buckle	Web Material	Size/Other
800000-A	Vest	Back	Quick-Connect	Tongue Buckle	Polyester	Universal Fit
801000-A	Vest	Back, Chest	Quick-Connect	Tongue Buckle	Polyester	Universal Fit
802000-A	Vest	Back, Hip	Quick-Connect	Tongue Buckle	Polyester	Universal Fit
803000-A	Vest	Back, Chest, Hip	Quick-Connect	Tongue Buckle	Polyester	Universal Fit
804000-A	Vest	Back, Shoulder	Quick-Connect	Tongue Buckle	Polyester	Universal Fit
809000-A	Derrick	Back, Side	Quick-Connect	Tongue Buckle	Polyester	Universal Fit
812000-A	Construction	Back, Side	Quick-Connect	Tongue Buckle	Polyester	Universal Fit
812040-A	Construction	Back, Side	Quick-Connect	Quick-Connect	Polyester	Universal Fit
813000-A	Construction	Back, Chest, Side	Quick-Connect	Tongue Buckle	Polyester	Universal Fit
815000-A	Construction	Back, Side, Suspension	Quick-Connect	Tongue Buckle	Polyester	Universal Fit / Suspension Seat
816000-A	Derrick	Back, Chest, Hip, Shoulder	Quick-Connect	Tongue Buckle	Polyester	Universal Fit
819000-A	Construction	Back, Hip	Quick-Connect	Tongue Buckle	Polyester	Universal Fit
825000-A	Construction	Back, Chest, Hip, Suspension	Quick-Connect	Tongue Buckle	Polyester	Universal Fit / Suspension Seat

\*Note: Harnesses sized as follows: 8XX1XX = Small, 8XX4XX = X-Large, 8XX5XX = XXL, 8XX6XX = Big Boy



# Higher Standards in Fall Protection

